

# SECURITY CAMERAS

---



## Why choose WRT Security Cameras?

- WRT CO-OP CA\$H
- Local Tech Support
- Camera Maintenance
- Insurance Discount
- Signage



## Weatherproof Rated

Rain, hail, or shine, our cameras are built to endure whatever Mother Nature throws at them. No matter where you're located, we have some of the highest quality outdoor and indoor cameras in the world that can endure extreme temperature, wind, rain, and other adverse weather conditions.



## Wired IP Camera Benefits:

- Better image quality  
*(not all 1080p is the same)*
- Higher resolution options
- Most reliable operations
- Live view 24/7



# The Deputy 8.0 v4

4K IP turret camera with built in mic & speaker

## Features

- 1/2.8" P-Scan CMOS
- NDAA Compliant M-Star CPU
- 8mp Resolution
- 20FPS
- 2.8mm Lens
- 107° Viewing Angle
- Built in Mic & Speaker
- 100 ft. Night Vision
- 30 ft. Active Deterrence White Light
- IP67 Weatherproof
- Mac Support
- ONVIF Profile S/T
- 3 Year Warranty
- 5 Year Upgrade Avail

**\$13.95/mo.**



## Specifications

Camera and Image	
Image Sensor	1/2.8" Progressive scan CMOS
Max Resolution	3840 x 2160
Effective Pixels	8,294,400 Pixels
Frame Rate	20PS
Lens	2.8mm @ F1.6, angle of view ~107°
Camera Body Color	White
IR Distance	100 ft.
Minimum Illumination	0.0025 lux @F1.6
Electronic Shutter	Auto/Manual, 1 ~ 1/100000s
BLC	BLC with Zone Configurable Options
Wide Dynamic Range	True WDR 120dB
Noise Reduction	3DNR
Communication	
Onboard Storage	MicroSD - Up to 256GB (Card not included)
Communication Interface	1 RJ45 10M/100M Ethernet Interface
Interoperability	ONVIF Conformant - Profiles S & T
Certifications	FCC / UL / CE / NDAA Approved
Audio	Built in Mic & Speaker (Two Way Audio)
Power and Dimensions	
Power Supply	DC 12V(±10%), PoE (802.3af)
Power Consumption	Max. 10.5W
Weather Protection	IP67 Compliant
Operating Temperature	(-22°F ~ 140 °F) Humidity <95% (non-condensing)
Dimensions	Φ4.4" x 3.7"
Weight	1.05 lb

*\*prices may vary*

# The Lookout 2.0 v2

2MP 33x Long Range NDAA Approved PTZ

## Features

- 1/2.8" Progressive Scan CMOS
- NDAA Approved M-Star CPU
- 2MP Resolution
- 60FPS
- 33x Zoom
- PoE (Included PSE)
- 4.5-148mm Motorized Lens
- 56-2.6° Angle of View
- 500 ft. IR Night Vision
- Audio and Alarm I/O
- IP66 Weatherproof
- ONVIF Profile S/T/G
- 3 Year Warranty
- 5 Year Warranty Option

**\$40.95/mo.**



*\*prices may vary*

## Specifications

Camera and Image	
Image Sensor	1/2.8" Progressive scan CMOS
Max Resolution	1920x1080
Effective Pixels	2,073,600 Pixels
Frame Rate	60FPS @ 1080p
Lens	4.5-148mm, 56-2.6°
IR Distance	500 ft.
Minimum Illumination	0.001Lux (F1.5, AGC ON)
Electronic Shutter	Auto/Manual 1 ~ 1/100000s
Wide Dynamic Range	True WDR @ 120dB
PTZ Specs	
Pan Range & Speed	360° (Endless) 0.1°/s ~ 200°/s
Tilt Range & Speed	-15° ~ 90° (auto reverse) 0.1°~ 200°/s
Preset Speed	300°S Pan - 240°/s Tilt
Presets	Up to 1024
Communication	
Image Settings	Full picture customization via web browser
Communication Interface	1 RJ45 10M/100M Ethernet Interface
Interoperability	ONVIF Conformant - Profiles S, T, G
Onboard Storage	MicroSD up to 256GB (card not included)
Power and Dimensions	
Power Supply	AC 24V(±25%), High PoE, PSE Required/Included
Power Consumption	Max. 48W
Weather Protection	IP66 Compliant
Operating Temperature	(-40°F ~ 140 °F) Humidity <95% (non-condensing)
Dimensions	Ø8.9" x 15.1"
Weight	11.68 lb

# The Lookout 5.0 Mini

5mp 4x PTZ with active deterrence

## Features

- 1/2.8" P-Scan CMOS
- NDAA M-Star CPU
- 5MP@30FPS Resolution
- 4x Zoom
- 2.8-12mm Lens
- 104-30.6° Viewing Angle
- Built in Mic & Speaker
- Built in strobe light
- Audio warnings
- 165 ft. Night Vision
- 30 ft. White Light
- IP66 Weatherproof
- ONVIF Conformant
- 3 Year Warranty

**\$23.95/mo.**



*\*prices may vary*

## Specifications

Camera and Image	
Image Sensor	1/2.7" Progressive scan CMOS
Max Resolution	2880x1620
Effective Pixels	4,665,600 Pixels
Frame Rate	30FPS at 5MP
Lens	2.8-12mm - Angle of View: 104.1-30.6°
PTZ Specs	345° Pan Range
IR Distance	165 ft.
Minimum Illumination	0.003 lux (F1.6,AGC ON) 0 lux with IR
Electronic Shutter	1 s ~ 1/100000 s
BLC	BLC with Zone Configurable Options
Wide Dynamic Range	True 120dB WDR
Noise Reduction	3DNR
Communication / Alerts	
Audio	Built in Microphone and Speaker
Communication Interface	1 RJ45 10M/100M Ethernet Interface
Interoperability	ONVIF Conformant
Active Deterrence	Audio Warnings, Red/Blue light, White Light
Alerts set by	VCA Intrusion Detection / Cross Line
Power and Dimensions	
Power Supply	DC 12V±25%, PoE (IEEE802.3 at)
Power Consumption	Max. 18W
Weather Protection	IP66 Compliant
Operating Temperature	(-4°F ~ 140 °F) Humidity <95% (non-condensing)
Dimensions	Φ5.2"x 10.6"
Mount	Arm mount built in
Weight	2.49 lb

# The Watchkeeper 4.0 v2

4MP 25x Long Range NDAA Approved PTZ

## Features

- 1/2.8" P-Scan CMOS
- NDAA Approved M-Star CPU
- 4MP Resolution
- 30FPS
- 25x Zoom
- PoE+
- 4.8-120mm Motorized Lens
- 52-2.7° Angle of View
- 325 ft. IR Night Vision
- Audio and Alarm I/O
- IP67 Weatherproof
- ONVIF Profile S/T/G
- 3 Year Warranty
- 5 Year Warranty Option

**\$30.95/mo.**



## Specifications

Camera and Image	
Image Sensor	1/2.8" Progressive scan CMOS
Max Resolution	2688x1520
Effective Pixels	4,085,760 Pixels
Frame Rate	30FPS @ 4MP
Lens	4.8-120mm, 52.20 - 2.74°
IR Distance	325 ft.
Minimum Illumination	0.003 Lux (F1.5, AGC ON)
Electronic Shutter	Auto/Manual 1 ~ 1/100000s
Wide Dynamic Range	True WDR @ 120dB
PTZ Specs	
Pan Range & Speed	360° (Endless) 0.1°/s ~ 200°/s
Tilt Range & Speed	-15° ~ 90° (auto reverse) 0.1°~ 120°/s
Preset Speed	240°S Pan - 200°/s Tilt
Presets	Up to 1024
Communication	
Communication Interface	1 RJ45 10M/100M Ethernet Interface
Interopability	ONVIF Conformant - Profiles S, T, G
Onboard Storage	MicroSD up to 256GB (card not included)
Power and Dimensions	
Power Supply	DC12V(±25%) 3A - PoE+ (802.3at) inject or not required or included. Ensure your PoE switch or NVR can provide adequate power.
Power Consumption	Max. 21W
Weather Protection	IP67 Compliant
Operating Temperature	(-40°F ~ 158 °F) Humidity <95% (non-condensing)
Dimensions	Ø6.5" x 11.6"
Weight	6.72 lb

*\*prices may vary*

# NETWORK VIDEO RECORDER (NVR)

Create your own customizable record schedule, including recording based on the day of the week, hours of the day, or even choose not to record for periods of time. Set constant recording during business hours and only motion during closed hours.

*The channel size is the maximum amount of cameras you can have associated with the NVR.*

## PRODUCT

4 Channel NVR	\$18.95
8 Channel NVR	\$26.95
16 Channel NVR	\$33.95
32 Channel NVR	\$39.95
64 Channel NVR	\$164.95



# HARD DRIVES - ROLLING RECORDING

(OVERWRITES OLDEST FOOTAGE FIRST)

## HOMEOWNERS

vs.

## BUSINESS OWNERS

## PRODUCT

2TB	\$4.95
4TB	\$8.95
6TB	\$13.95
10TB	\$21.95
12TB	\$26.95



**Normal Homeowner:** To leave proper time for review, the amount of recorded footage for a home is about two weeks.

**Traveling Homeowner:** If you travel a lot, recorded footage average is 3-6 weeks.

**Vacation Homeowner:** Own a second home? We can design a system to record footage for 2-3 months or the entire time you're away.



**Normal Business Owner:** If common issues such as theft are a concern, you'll need 3-4 weeks of recorded footage.

**Regulated Industry Business Owner:** Legally mandated industries that require surveillance systems. This case, requires anywhere from 90-365 days of recorded footage.

**High Risk Business Owner:** These business owners worry about false insurance claims or other scenarios that will need a custom amount of recorded footage.

\*prices may vary

## CALIX GIGASPIRE BLAST U4HM

The GigaSpire BLAST u4hm is an outdoor satellite mesh solution designed to expand the Wi-Fi 6 indoor experience to the backyard, patio, pool area, barn, and more. This intelligent, high-performance system has GE LAN and WAN interface, allowing it to support Gigabit throughput for video and data services. This unit also offers wide temperature range support from -20° C to 60° C and also supports Ingress Protection (IP55) preventing dust and water penetration.

**\$15.95/mo.**



## UBIQUITI NANOSTATION AC

The NanoStation AC get maximum gain out of the smallest footprint. The low cost, high performance, and small form factor of the NanoStation AC make them extremely versatile and economical to deploy.

Requires clear line of sight (no trees, brush, or structures between antennas)  
Price includes one antenna, two are required for operation.

**\$5.95/mo.**



*\*prices may vary*





**WRT MEMBERS CAMERA FOOTAGE**



**North of I-94 ND:**  
**Call Samantha**  
**701.748.2211**  
*samanthai@wrtc.com*

**South of I-94 ND & SD:**  
**Call Lindsay**  
**605.845.3100**  
*lindsays@wrtc.com*

***westriv.com/security***



**Get a *FREE* quote on a  
custom camera system  
for your home, business,  
cabin, barn & more!**

